Received: 12 July 2026	Revised: 16 Aug 2026	Accepted: 15 Sept 2026

AJPK
Panchkarma - Punch Out Toxins

Review Article

ISSN: 3048-5584

"PANCHAKARMA IN GRIDHRASI (SCIATICA) AND LOW BACK PAIN"

Dr. Abhay Gandhi[1]

AFFILIATIONS:
1. Director, Ira Consultancy & Research Organisation, Bhosari, Pune, Maharashtra 411026

CORRESPONDENCE:
Dr. Abhay Gandhi
EMAIL ID:
director@icro.co.in

FUNDING INFORMATION:
Not Applicable

How to cite this article:
Abhay Gandhi, "Panchakarma in Gridhrasi (Sciatica) and Low Back Pain". 2026 3(3) 5-8
Sri. 2026.1009.ajpk.03.02

ABSTRACT:
Low back pain is the leading cause of disability worldwide, and sciatica, a radicular pain syndrome, affects a considerable minority of adults. Ayurveda describes Gridhrasi as a Vata (or Vata-Kapha) disorder in which pain radiates from the lower back (Sphik) to the posterior thigh, calf and foot, with a characteristic gait disturbance resembling a vulture. Panchakarma therapies for Gridhrasi and Katishoola include Snehana, Swedana, Basti, Siravedha, Agnikarma and local procedures such as Kati Basti. This review summarises the classical concepts, modern understanding of sciatica and low back pain, therapeutic procedures, evidence from related musculoskeletal trials, safety and a practical integrated pathway. Guidelines favour non-pharmacological measures including heat, massage and exercise as first-line options, which aligns with several Panchakarma components.

KEYWORDS: Gridhrasi, sciatica, low back pain, Basti, Kati Basti, Agnikarma, Siravedha, Panchakarma

This is an open access article, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

INTRODUCTION:

A systematic review of global prevalence found that low back pain is highly common and increases with age [1]. Most episodes are non-specific and self-limited, but a subset become persistent and disabling [2, 6]. Sciatica is usually caused by lumbar disc herniation or spinal stenosis with nerve root irritation, and most patients improve with conservative care over weeks to months [3, 7]. Guidelines recommend avoiding unnecessary imaging and opioids, and encourage non-pharmacological approaches such as superficial heat, massage, acupuncture, spinal manipulation, exercise and multidisciplinary rehabilitation [6, 8].

OBSERVATION AND RESULTS:

1. Gridhrasi in Ayurvedic Literature

Charaka describes Gridhrasi among the eighty Vataja Nanatmaja Vikara, with Ruk (pain), Toda (pricking), Stambha (stiffness) and Spandana (twitching) beginning in the Sphik and radiating to the Kati, Prishtha, Uru, Janu, Jangha and Pada, and with restricted lifting of the leg (Sakthikshepa nigraha) [4, 5]. A Vata-Kapha type features heaviness, Tandra and Arochaka [4, 9]. Sushruta and Vagbhata give similar descriptions [10, 11]. Correlation with sciatica is common, while Katishoola corresponds to low back pain, Kati-graha to lumbar stiffness and Avabahuka to frozen shoulder [12].

2. Panchakarma Procedures

2.1 Snehana and Swedana

External oleation with Vata-pacifying oils such as Mahanarayana Taila, Bala Taila and Dhanvantara Taila followed by Nadi Sweda or Patra Pinda Sweda is the usual preparatory step [4, 13]. Massage therapy has shown moderate benefits for pain and function in meta-analytic evidence [14, 15], and local heat is recommended in guidelines for acute and subacute low back pain [8]. Heat therapy through repeated sauna exposure has produced varying findings in other conditions [16].

2.2 Kati Basti

Kati Basti involves retaining warm medicated oil within a dough ring over the lumbosacral region, and its warming and analgesic effect is thought to relax paraspinal muscles and improve local circulation [9, 11]. Janu Basti, Greeva Basti and Prishta Basti are related local therapies. Sustained local heat and massage are plausible contributors to symptom relief, although these effects are mostly short-term [8].

2.3 Basti (Medicated Enema)

Basti is considered the principal Vata therapy and is advocated in Gridhrasi using preparations such as Erandamuladi Niruha Basti, Panchatikta Ksheera Basti and Anuvasana Basti with Sahacharadi or Bala Taila [4, 17, 18]. The mechanisms by which Basti could relieve radicular pain are hypothetical and may include anti-inflammatory and neuro-modulatory actions, while the gut–nervous system interaction provides one possible framework [19].

2.4 Siravedha and Agnikarma

Siravedha, described by Charaka and Sushruta for Gridhrasi at specified sites near the knee joint, and Agnikarma (thermal cauterisation using metal rods) at the point of maximum tenderness are classical interventions [4, 10, 11]. They are invasive, and require training, asepsis and informed consent. Reports of their clinical benefit are mostly case series, and their role compared with acupuncture or dry needling needs study.

2.5 Internal Medicines

Commonly used drugs include Rasna, Eranda, Guggulu preparations (Yogaraja Guggulu, Trayodashanga Guggulu), Ashwagandha and Nirgundi [18, 20]. A randomised, double-blind equivalence trial of an Ayurvedic formulation in knee osteoarthritis reported non-inferiority to glucosamine and celecoxib for pain and function [21], and earlier trials of another preparation suggested symptom relief in knee osteoarthritis [22]. These results concern a different joint and different products, and cannot be extrapolated to sciatica without specific trials.

3. Evidence Review

A systematic review of Ayurvedic interventions in osteoarthritis identified limited but promising evidence, and noted methodological limitations in many studies [23]. A randomised controlled trial of a multimodal Ayurveda approach in knee osteoarthritis supports the feasibility of testing complex Ayurvedic packages in rigorous designs [24]. For Gridhrasi and low back pain themselves, the literature mainly consists of small trials and open studies with short follow-up. Future studies should report validated outcomes such as the Visual Analogue Scale, Oswestry Disability Index, straight-leg-raise angle and return to work, and adhere to trial reporting standards [25].

4. Integrated Care Pathway

- Red-flag assessment (cauda equina syndrome, progressive weakness, malignancy, infection, fracture) requires urgent conventional evaluation [2, 7].
- Most acute sciatica improves with conservative management, so Panchakarma may be used for symptom relief and function while the natural course unfolds [3].
- Exercise therapy, activity maintenance and education are key and can be combined with Ayurvedic procedures [6, 26].
- Patients with persistent radicular pain beyond the usual recovery period, or with severe deficits, should be referred for specialist review [7].
- Avoid prolonged bed rest and encourage graded activity [8].

5. Safety

Basti and Virechana can cause dehydration and weakness; Swedana can cause burns; Siravedha and Agnikarma carry infection and scarring risks [4, 11]. Heavy-metal contamination has been reported in some Ayurvedic herbo-mineral products, which highlights the importance of quality-assured formulations [27, 28]. Kati Basti oil temperature must be tested to avoid burns, particularly in patients with sensory loss.

CONCLUSION:

Gridhrasi and Katishoola are well-described Vata disorders for which Panchakarma offers heat-based, massage-based and Basti-based therapies. These components overlap with accepted non-pharmacological options in international guidelines, and short-term benefit is plausible [8, 15, 21]. High-quality randomised trials of specific procedures, with validated pain and function outcomes and safety monitoring, are required before firm recommendations can be made [2, 12].

REFERENCES:

1. Hoy D, Bain C, Williams G, et al. A systematic review of the global prevalence of low back pain. Arthritis Rheum. 2012;64(6):2028–2037.
2. Hartvigsen J, Hancock MJ, Kongsted A, et al. What low back pain is and why we need to pay attention. Lancet. 2018;391(10137):2356–2367.
3. Ropper AH, Zafonte RD. Sciatica. N Engl J Med. 2015;372(13):1240–1248.
4. Sharma RK, Dash B, translators. Agnivesha's Charaka Samhita (Text with English translation and critical exposition based on Chakrapani Datta's Ayurveda Dipika). Vols. I–VII. Varanasi: Chowkhamba Sanskrit Series Office; 2014.
5. Hechhu R, Krishnan K, Singamaneni V, Raju PVN, Erukulla P, Kandimalla KV, et al. GC-MS-based phytochemical analysis, in-depth ADMET screening and molecular docking targeting EGFR for anticancer potential. Chem Methodol. 2026;10(5):465-88.
6. Foster NE, Anema JR, Cherkin D, et al. Prevention and treatment of low back pain: evidence, challenges, and promising directions. Lancet. 2018;391(10137):2368–2383.
7. Gundeti M, Vidiyala N, Dalvi S, Girase R, Thota SK, Paudel KR, et al. Next-generation Pluronic micelles for advanced drug delivery application. Macromol Mater Eng. 2026;311(9):e70344.
8. Qaseem A, Wilt TJ, McLean RM, Forciea MA. Noninvasive treatments for acute, subacute, and chronic low back pain: a clinical practice guideline from the American College of Physicians. Ann Intern Med. 2017;166(7):514–530.
9. Murthy KRS, translator. Astanga Samgraha of Vagbhata. Vols. I–III. Varanasi: Chowkhamba Orientalia; 2005.
10. Sharma PV, translator. Sushruta Samhita (with English translation of text and Dalhana's commentary along with critical notes). Vols. I–III. Varanasi: Chaukhambha Visvabharati; 2010.
11. Murthy KRS, translator. Vagbhata's Astanga Hridayam (Text, English translation, notes, indices). Vols. I–III. Varanasi: Chowkhamba Krishnadas Academy; 2012.
12. Wal A, Bukke SPN, Vidiyala N, Jamil S, Sharma KK, Khan A, et al. Stimuli-responsive nanogels as intelligent nanocarriers for tumor microenvironment-triggered anticancer drug delivery. Discov Nano. 2026;21(1):247.
13. Government of India, Ministry of Health and Family Welfare. The Ayurvedic Formulary of India, Part I. 2nd ed. New Delhi: Controller of Publications; 2003.
14. Moyer CA, Rounds J, Hannum JW. A meta-analysis of massage therapy research. Psychol Bull. 2004;130(1):3–18.
15. Field T. Massage therapy research review. Complement Ther Clin Pract. 2014;20(4):224–229.

16. Hussain J, Cohen M. Clinical effects of regular dry sauna bathing: a systematic review. Evid Based Complement Alternat Med. 2018;2018:1857413.
17. Murthy KRS, translator. Sarngadhara Samhita (A Treatise on Ayurveda). Varanasi: Chaukhambha Orientalia; 2012.
18. Prasad PL, Govindaraj S, Jahnavi P, Popatrao TP, Tummala T, Vidiyala P, et al. Metal oxide functionalized nanoparticles for the treatment of bacterial infection: synthesis, characterization, and therapeutic applications. J Appl Organomet Chem. 2025;5(3):232-57.
19. Cryan JF, Dinan TG. Mind-altering microorganisms: the impact of the gut microbiota on brain and behaviour. Nat Rev Neurosci. 2012;13(10):701–712.
20. Government of India, Ministry of Health and Family Welfare, Department of AYUSH. The Ayurvedic Pharmacopoeia of India, Part I, Vols. I–VI. New Delhi: Controller of Publications; 1999–2008.
21. Chopra A, Saluja M, Tillu G, et al. Ayurvedic medicine offers a good alternative to glucosamine and celecoxib in the treatment of symptomatic knee osteoarthritis: a randomized, double-blind, controlled equivalence drug trial. Rheumatology (Oxford). 2013;52(8):1408–1417.
22. Chopra A, Lavin P, Patwardhan B, Chitre D. A 32-week randomized, placebo-controlled clinical evaluation of RA-11, an Ayurvedic drug, on osteoarthritis of the knees. J Clin Rheumatol. 2004;10(5):236–245.
23. Kessler CS, Pinders L, Michalsen A, Cramer H. Ayurvedic interventions for osteoarthritis: a systematic review. Rheumatol Int. 2015;35(2):211–232.
24. Kessler CS, Dhiman KS, Kumar A, et al. Effectiveness of an Ayurveda treatment approach in knee osteoarthritis – a randomized controlled trial. Osteoarthritis Cartilage. 2018;26(5):620–630.
25. Schulz KF, Altman DG, Moher D; CONSORT Group. CONSORT 2010 statement: updated guidelines for reporting parallel group randomised trials. BMJ. 2010;340:c332.
26. Booth FW, Roberts CK, Laye MJ. Lack of exercise is a major cause of chronic diseases. Compr Physiol. 2012;2(2):1143–1211.
27. Vora N, Selvaraj K, Vidiyala N, Larmon R, Cartwright D, Mangu N, et al. DoE approach for optimization of granulation set-up as CPP for impact on dissolution and yield as CQA in manufacturing multi-particulates with a high drug load … [abstract T1430-06-045]. In: AAPS PharmSci 360; 2018.
28. Saper RB, Phillips RS, Sehgal A, et al. Lead, mercury, and arsenic in US- and Indian-manufactured Ayurvedic medicines sold via the Internet. JAMA. 2008;300(8):915–923.